

Alloy Hollow Tine - .750MT x 5.500L x .630OD





R201587

Details

Like Standard Hollow Tines, this tine is also tubular and designed to remove a soil core, but they are constructed from a special high carbon alloy steel. The steel tubing is specially manufactured for R&R to achieve uniform hardness of RC45-48 throughout the tine for excellent wear and toughness. These tines are much tougher and resist bending in extremely hard or rocky soils and you can expect 3-4 times longer life than from the Standard Hollow Tines.

Replaces

John Deere TCU17335 R&R Products RTCU17335

Specifications

Manufacturer R&R Products
A - Tine Type Alloy Hollow
B - Tine Mounting .750 in (19mm)

Dia.

C - Tine Length 5.500 in (140mm) D - Tine Tip Outside .630 in (16mm)

(Hole) Dia.

E - Tine Tip Inside .520 in (13.2mm)

(Core) Dia.

F - Tine Wall .049 in (1.2mm)

Thickness

Fits Models

John Deere Aercore 1000 John Deere Aercore 1500 John Deere Aercore 2000 John Deere Aercore 800 Ryan GA30

Evergreen

C/. Bartomeu Amat, 2, Entlo 1 Terrassa, 08225 +34 931 130 054

https://evergreen.rrproducts.com/