




Cutting Unit Reel & Bedknife







Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Reg | Order Quantity | |
|-------|---|---|---|--|-------------------|--|
| R&R I | Reels, Lifetime Gua | ranteed | | | | |
| 1 | R5000095 | 5000095 | Reel - 11 Blade | 1 | | |
| | Tech Note: Fits 18": | | | | | |
| | Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.: | | | | | |
| 1 | R101510 | | Reel - 14 Blade | 1 | | |
| | Tech Note: Fits 18": | | | | | |
| | Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.: | | | | | |
| 1 | R5000148 | 5000148, 503616 | Reel - 11 Blade | 1 | | |
| | Tech Note: Fits 22": | | | | | |
| | steel, heat-treated to precision cylindrical performance. Advan | o perfectly complement bo I grinding on bearing surfa nced computer balancing e | y crafted from premium high carbo th R&R and OEM bedknives. Each re ces, followed by relief grinding for o nsures extended reel and bearing li | eel undergoes ptimal fe. Backed by | | |

1 **R101515** Reel - 14 Blade 1

Reels deliver unmatched durability and cutting precision you can trust.:

our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R

Tech Note: Fits 22":





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReqQuantity

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 **R5000417**

5000417, 5003652

Reel - 7 Blade

1

Tech Note: Fits 26":

Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

1 **R101500**

101500

Reel - 9 Blade

1

Tech Note: Fits 26":

Detail Description: R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

1 **R5000416**

5000416

Reel - 11 Blade

1

Tech Note: Fits 26":

Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:

R&R Bedknives, Lifetime Guaranteed

2 **R5000098**

5000098

Bedknife - Low Cut 18 in

1





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReqQuantity

Tech Note: Fits 18":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R5002888** 5001056, Bedknife - Tournament 18" - .082-.109

Tech Note: Fits 18":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R101430** Bedknife - Micro Cut 1

Tech Note: Fits 18":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R4234900** 5000927 Bedknife - Tournament .063-

Tech Note: Fits 22":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R503479** 503029, Bedknife - Tournament .094-503479 .156 HOC





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReqQuantity

Tech Note: Fits 22":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

101260, 503028, 503478, 503478, 549504 Bedknife - Thin .125-.219 HOC 1

Tech Note: Fits 22":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

101261, 503027, 503477, Bedknife - Thick .156-.438 HOC 1

Tech Note: Fits 22":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R5002887** 5002887 Bedknife - Micro Cut - .082-.109 1

Tech Note: Fits 22":





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReq Quantity

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R5000413** 5000413 Bedknife - 26 Thin 1/8

Tech Note: Fits 26":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R5000414** 5000414 Bedknife - 26 Thick 3/16 1

Tech Note: Fits 26":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

2 **R5000141** 5000141 Bedknife - Heavy 26 in 1

Tech Note: Fits 26":

Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

2 **R101520** Bedknife - Razor Tool Steel - 22 Micro Cut





Cutting Unit Reel & Bedknife

Item R&ROEMQtyOrderNo Part No.Part No.DescriptionReqQuantity

Tech Note: Fits 22":

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

2 **R101521**

Bedknife - Razor Tool Steel - 22 Tournament Cut

1

Tech Note: Fits 22":

Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

Service Tools

3 R101272T Bedknife Screw Driver Tool

0

Tech Note: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:

Detail Description: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:

Conversion Kits

4 **R101164** Vertical Mower Conversion Kit - Fits 22 Only

Tech Note: Fits 22" Only:

Detail Description: Includes:1 ea. R101163 Shaft, R352437 Nut, 26 ea. R101160 Vertical Mower Blades & 76 R35221 Nylon Spacers:

Other Parts Available





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-------------------------------|--|--------------------------------|------------|-------------------|
| 10 | R101272 | 101272, 3009138, 402578, 800813 | Screw - Bedknife 1/4-20 x 1/2 | 13 | |
| 11 | R2811122 | 2811122 | Frame - RH | 1 | |
| 12 | R2811121 | 2811121 | Frame - LH | 1 | |
| 13 | R1000446 | 1000446 | Bearing Housing - LH | 1 | |
| 14 | R1000447 | 1000447 | Bearing Housing - RH | 1 | |
| | Detail Description: Includes | R545940, R366650, R254 | -79 & R302-5: | | |
| 15 | R500534 | 500534, R500534 | Bearing - with Cup | 2 | |
| | Detail Description: Kit inclu | des: 1 ea R254-78- Bearing | g Cone & R254-79 Bearing Cone: | | |
| 16 | R366649 | 366649 | Seal | 1 | |
| 17 | R366645 | 366645 | Spacer - Reel | 1 | |
| 18 | R458461 | 458461 | Snap Ring | 1 | |
| 19 | R366652 | 366652 | Bearing | 1 | |
| 20 | R365229 | 365229 | Bearing | 1 | |
| 21 | R2811185 | 2811185 | Pulley | 1 | |
| 22 | R366646 | 366646 | Spacer | 1 | |
| 23 | R340462 | 340462 | Drive Coupling | 1 | |
| 24 | R345556 | 345556 | Key - Sq 1/8 x 1 | 1 | |
| 25 | R320774 | 320774 | Key - Sq 3/16 x 1-1/4 | 2 | |
| 26 | R366653 | 366653 | Spacer | 1 | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|-------------------------------|---------------------------------|------------|-------------------|
| 27 | R3254-6 | 3254-6, 446140, 446142 | Washer - Lock 3/8 | 1 | |
| 28 | R5002727 | 5002727 | Clutch - Reel | 1 | |
| 29 | R3004368 | 3004368 | Retainer - Spring | 1 | |
| 30 | R3006061 | 3006061 | Spring | 1 | |
| 31 | R3004369 | 3004369 | Retainer - Spring | 1 | |
| 32 | R366651 | 366651 | Bolt - Special | 1 | |
| 34 | R366650 | 366650 | Seal | 1 | |
| 35 | R545940 | 2500759, 545940 | Bushing | 2 | |
| 36 | R363047 | 348846, 363047 | Spring - Reel | 1 | |
| 37 | R304745 | 304745 | Washer - Reel | 1 | |
| 38 | R364900 | 364900 | Nut - Reel Tension | 1 | |
| 39 | R364170 | 364170, 366648 | Seal | 1 | |
| 40 | R164041 | 164041 | Seal Carrier - Reel - Incl Seal | 1 | |
| 41 | R3296-15 | 3296-15, 367029, 444742 | Locknut - 3/4-16 Nylon Jam | 1 | |
| 42 | R2000064 | 2000064 | Cover - Reel | 1 | |
| 43 | R347169 | 347169, 365501 | Stud - Backing RH 2-5/16 | 2 | |
| 44 | R454017 | 454017 | Shim - Bed Bar Bolt | 2 | |
| | | | | | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|--|---------------------------------|------------|-------------------|
| 45 | R302-5 | 302-5, 471214, 471223, 471226 | Fitting - Grease | 1 | |
| 46 | R400258 | 400258 | Bolt - Hex HD 3/8-16 x 3/4 | 9 | |
| 47 | RF3205 | 400188, 400262 | Bolt - Hex HD 3/8-16 x 1 | 2 | |
| 48 | R434036 | 434036 | Screw - Soc HD 5/16-18 x 1-1/4 | 3 | |
| 49 | R446136 | 446134, 446136 | Washer - Lock 5/16 Zinc | 3 | |
| 50 | R434028 | 434028 | Bolt - Soc HD Cap 1/4-20 x 3/4 | 3 | |
| 51 | R3253-3 | 3253-3, 446128, 446130 | Washer - Lock 1/4 | 5 | |
| 52 | R400112 | 400112, 400114 | Bolt - Hex HD 1/4-20 x 1-1/4 | 2 | |
| 53 | R322-5 | 400188 | Bolt - Hex HD 5/16-18 x 1 | 6 | |
| 54 | R348849 | 348849 | Shim Washer - 5/16 x 7/8 x .010 | 0 | |
| 54 | R364263 | 364263 | Shim Washer - 5/16 x 7/8 x 1/16 | 0 | |
| 54 | R364441 | 364441, 366641 | Washer - Flat 5/16x7/8 | 4 | |
| 55 | R443106 | 443106 | Nut - 5/16-18 Y/Zinc Plated | 4 | |
| 56 | R441677 | 441677 | Bolt - Carriage 5/16-18 x 1-1/2 | 6 | |
| 57 | R1000018 | 1000018 | Kickstand - 18 in | 1 | |
| 57 | R132674 | 132674 | Kickstand - 22 in | 1 | |
| 57 | R1000019 | 1000019 | Kickstand - 26 in | 1 | |
| 58 | R364164 | 364164 | Spring | 2 | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|--------------------|--|------------|-------------------|
| 59 | R400260 | 400260 | Bolt - Hex HD 3/8-16 x 7/8 | 3 | |
| 60 | R400268 | 400268 | Bolt - Hex HD 3/8-16 x 1-3/4 | 2 | |
| 61 | R3218-3 | 443810 | Nut - 3/8-16 Jam | 4 | |
| 62 | R444850 | 444850 | Nut - 3/8-16 Jam Center Lock | 3 | |
| 64 | R3001644 | 3001644 | Weight | 1 | |
| 65 | R400264 | 400264 | Bolt - Hex HD 3/8-16 x 1-1/4 | 1 | |
| 66 | R366726 | 366726 | Bolt - Special - Bed Knife Adj. | 4 | |
| 67 | R366727 | 352437, 366727 | Rod - Bedknife Block | 2 | |
| 68 | R3001600 | 3001600, 412017 | Block - Bedknife Adjusting | 2 | |
| 70 | R366709 | 366709 | Spring | 2 | |
| 71 | R367512 | 367512 | Spacer - Bedknife Adj | 2 | |
| 72 | R101163 | | Shaft - V-Cut Fits Jac 422/522 | 1 | |
| 73 | R101160 | | Verti-Cut Blade - Fits 22 Gm | 26 | |
| 73 | R101160C | | Verti-Cut Blade - Fits 22 Gm Carbide Tipped | 26 | |
| 74 | R352221 | 352221 | Spacer - Nylon V-Cut Shaft | 76 | |
| 76 | R352437 | 352437 | Nut - V-Cut Shaft | 1 | |
| 77 | R412017 | 412017 | Screw - Sq. HD Set | 1 | |
| 78 | R441674 | 441674 | Screw - 5/16-18 x 1-3/4 Carriage | 2 | |
| 79 | R3006118 | 3006118 | Lift Hook | 1 | |
| 80 | R366796 | 366796 | Bracket - Kickstand | 2 | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|----|-----------------|--|--------------------------------------|------------|-------------------|
| 81 | R444718 | 444718 | Nut - 5/16-18 Center Lock YZ | 4 | |
| 82 | R400190 | 352737, 400190 | Bolt - Hex HD 5/16-18 x 1-1/4 GR5 | 2 | |
| 83 | R471219 | 366852, 471219 | Zerk - Grease | 2 | |
| 84 | R365009 | 3005692, 365009, 365170, 441674 | Knob - Adjusting Roller | 2 | |
| 85 | R343616 | 343616, 443102 | Stud | 2 | |
| 86 | R241827 | 241827, 446136 | Bracket - LH Grass Catcher | 1 | |
| 87 | R241828 | 241828, 453023 | Bracket - RH Grass Catcher | 1 | |
| 88 | R434051 | 461339 | Bolt - Soc HD Cap 5/16-18 x 1/2 | 3 | |
| 89 | R2000072 | 2000072, 471219 | Bracket - Roller | 2 | |
| 91 | R461339 | 343616, 461339 | Pin - Grooved Roller Bkt | 2 | |
| 92 | R352737 | 352737 | Screw - Set 1/4 x 7/8 Sq Head | 2 | |
| 93 | R443102 | 443102 | Nut - 1/4-20 Yellow Zinc | 7 | |
| 94 | R101560 | | Light - Single Bulb | 1 | |
| 95 | R300104 | 300104 | Screw - Button HD Cap 10-32 x 5/8 | 1 | |
| 96 | R444312 | 444312 | Nut - 10-32 | 1 | |





Cutting Unit Reel & Bedknife

| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|-----|----------------------------|---|--------------------------------|------------|-------------------|
| 97 | R254-78 | 254-78, 385174, 4121174, 4135152 | Tapered Bearing Cone | 2 | |
| 98 | R254-79 | 254-79, 4121175 | Cup - Bearing | 2 | |
| | Detail Description: Use R2 | 254-79M installation mandi | rel to properly install race.: | | |
| 99 | R5000102 | 5000102 | Bed Bar - 18 in | 1 | |
| 99 | R5000457 | 5000457 | Bed Bar - 22 in | 1 | |
| 99 | R5000412 | 5000412 | Bed Bar - 26 in | 1 | |
| 100 | R1000020 | 1000020 | Rear Crossbar - 18 in | 1 | |
| 100 | R1000838 | 1000838 | Rear Crossbar - 22 in | 1 | |
| 100 | R1000021 | 1000021 | Rear Crossbar - 26 in | 1 | |
| 101 | R1000022 | 1000022 | Front Crossbar - 18 in | 1 | |
| 101 | R1000839 | 1000839 | Front Crossbar - 22 in | 1 | |
| 101 | R1000023 | 1000023 | Front Crossbar - 26 in | 1 | |
| 102 | R5002848 | 5002848 | Engine Base | 1 | |
| | | | | | · |