

## **Double Alloy Hollow Tine with Carbide Tip - .750MT x 4.750L x .5300D** R410





## Details

The R&R Carbide-Tipped Alloy Hollow Tine construction is the same special high carbon alloy steel tubing and hardened to RC45-48 as the alloy hollow tines, with the addition of a carbide tip for even longer life. The advantage of using carbide tipped tines is the ability to maintain your maximum aerating depth consistently over the life of the tines. You can expect these tines to last 6-8 times longer than the R&R Standard Hollow Tines. Carbide tipped tines are not recommended in rocky soil conditions, as carbide, which is extremely wear resistant, can break when encountering hard impacts in rocks.

Replaces

Salsco

D-027

Specifications

Manufacturer		R&R Products
A - Tine Type		Alloy Hollow
B - Tine Mounting		.750 in (19mm)
Dia.		
C - Tine Le	ength	4.75 in (121mm)
Carbide Tip		Carbide Tip
D - Tine T	ip Outside	.530 in (13.5mm)
(Hole) Dia	1.	
E - Tine Ti	p Inside	.400 in (10.2mm)
(Core) Dia	a.	
F - Tine Wall		.049 in (1.2mm)
Thickness	5	

Fits Models Salsco Aerator

## Evergreen

C/. Bartomeu Amat, 2, Entlo 1 Terrassa, 08225 +34 931 130 054 https://evergreen.rrproducts.com/