


## **Replaces Toro Groundsmaster 4500-D Parts**



Traction Unit - Model 30857 Front Drive and Brake





## **Replaces Toro Groundsmaster 4500-D Parts**



Traction Unit - Model 30857 Front Drive and Brake

| Tires & Wheels         40       RCT5293E6       Tire - 29x14.00-15 Nhs (6 Ply) Carlisle Ultra Trac       2         42       R232-27       232-27, 232-31       Stem - Valve w/ Cap       2         Other Parts Available         70       R100-3070-03       100-3070-03       Brake Assy - LH       1         71       R100-3069-03       100-3069-03       Brake Assy - RH       1         72       R92-7530       92-7530       Brake Cable Assy - LH       1         73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal  |       | R&R<br>Part No.  | OEM<br>Part No. | Description  | Qty<br>Req | Order<br>Quantity |
|---|-------|------------------|-----------------|--|------------|-------------------|
| 42       R232-27       232-27, 232-31       Stem - Valve w/ Cap       2         Other Parts Available         70       R100-3070-03       100-3070-03       Brake Assy - LH       1         71       R100-3069-03       100-3069-03       Brake Assy - RH       1         72       R92-7530       92-7530       Brake Cable Assy - LH       1         73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146 | Tires | & Wheels         |                 |  |            |                   |
| Other Parts Available       70     R100-3070-03     100-3070-03     Brake Assy - LH     1       71     R100-3069-03     100-3069-03     Brake Assy - RH     1       72     R92-7530     92-7530     Brake Cable Assy - LH     1       73     R92-7529     92-7529     Brake Cable Assy - RH     1       74     R33106-090     33106-090     Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8     4       75     R33116-120     33116-120     Bolt - M12-1.75 x 120mm Hx HD     4       76     R237-42     237-42, 31-4160     O-Ring     7       77     R94-3088     94-3088     Spring - Compression     2       78     R353-989     353-989     Plug - Hex - Hollow     2       79     R340-98     340-98     Hydraulic Fitting     3       80     R237-79     237-79     O-Ring - Seal     3       81     R237-30     236320, 237-30     O-Ring - Seal     3       82     R100-5530     100-5530, 98-0657     Hydraulic Fitting - 45 Deg     2       83     R237-146     340-146     O-Ring     6   | 40    | RCT5293E6        |                 | Tire - 29x14.00-15 Nhs (6 Ply) Carlisle Ultra Trac | 2          |                   |
| 70       R100-3070-03       100-3070-03       Brake Assy - LH       1         71       R100-3069-03       100-3069-03       Brake Assy - RH       1         72       R92-7530       92-7530       Brake Cable Assy - LH       1         73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       9lug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 42    | R232-27          |                 | Stem - Valve w/ Cap                                | 2          |                   |
| 71       R100-3069-03       100-3069-03       Brake Assy - RH       1         72       R92-7530       92-7530       Brake Cable Assy - LH       1         73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       94-3088       Spring - Compression       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6  | Othe  | r Parts Availabl | le e            |  |            |                   |
| 72       R92-7530       92-7530       Brake Cable Assy - LH       1         73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 70    | R100-3070-03     | 100-3070-03     | Brake Assy - LH                                    | 1          |                   |
| 73       R92-7529       92-7529       Brake Cable Assy - RH       1         74       R33106-090       33106-090       Bolt - M12-1.75 x 90 Fl Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 71    | R100-3069-03     | 100-3069-03     | Brake Assy - RH                                    | 1          |                   |
| 74       R33106-090       33106-090       Bolt - M12-1.75 x 90 FI Hex HD Gr 8.8       4         75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 72    | R92-7530         | 92-7530         | Brake Cable Assy - LH                              | 1          |                   |
| 75       R33116-120       33116-120       Bolt - M12-1.75 x 120mm Hx HD       4         76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 73    | R92-7529         | 92-7529         | Brake Cable Assy - RH                              | 1          |                   |
| 76       R237-42       237-42, 31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       Plug - Hex - Hollow       2         79       R340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 74    | R33106-090       | 33106-090       | Bolt - M12-1.75 x 90 Fl Hex HD Gr 8.8              | 4          |                   |
| 76       R237-42       31-4160       O-Ring       7         77       R94-3088       94-3088       Spring - Compression       2         78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6  | 75    | R33116-120       | 33116-120       | Bolt - M12-1.75 x 120mm Hx HD                      | 4          |                   |
| 78       R353-989       353-989       Plug - Hex - Hollow       2         79       R340-98       340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 76    | R237-42          |                 | O-Ring   | 7          |                   |
| 79       R340-98       340-98       Hydraulic Fitting       3         80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 77    | R94-3088         | 94-3088         | Spring - Compression                               | 2          |                   |
| 80       R237-79       237-79       O-Ring       3         81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6   | 78    | R353-989         | 353-989         | Plug - Hex - Hollow                                | 2          |                   |
| 81       R237-30       23-6320, 237-30       O-Ring - Seal       3         82       R100-5530       100-5530, 98-0657       Hydraulic Fitting - 45 Deg       2         83       R237-146       237-146, 340-146       O-Ring       6  | 79    | R340-98          | 340-98          | Hydraulic Fitting                                  | 3          |                   |
| 81 <b>R237-30</b> 237-30 O-Ring - Seal  82 <b>R100-5530</b> 98-0657 Hydraulic Fitting - 45 Deg  2  83 <b>R237-146</b> 237-146, 340-146 O-Ring 6   | 80    | R237-79          | 237-79          | O-Ring   | 3          |                   |
| 82 <b>R100-5530</b> 98-0657 Hydraulic Fitting - 45 Deg 2  83 <b>R237-146</b> 237-146, 340-146 O-Ring 6  | 81    | R237-30          |                 | O-Ring - Seal                                      | 3          |                   |
| 340-146 O-RING 6  | 82    | R100-5530        |                 | Hydraulic Fitting - 45 Deg                         | 2          |                   |
| 84 <b>R237-58</b> 237-58 O-Ring 4   | 83    | R237-146         |                 | O-Ring   | 6          |                   |
|   | 84    | R237-58          | 237-58          | O-Ring   | 4          |                   |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



## **Replaces Toro Groundsmaster 4500-D Parts**



Traction Unit - Model 30857 Front Drive and Brake

|    | R&R<br>Part No. | OEM<br>Part No.   | Description                  | Qty<br>Req | Order<br>Quantity |
|----|-----------------|---|------------------------------|------------|-------------------|
| 85 | R340-142        | 340-142,<br>95-1692   | Hydraulic Fitting - 90 Deg   | 4          |                   |
| 86 | R237-81         | 237-81,<br>237.81,<br>327-81  | O-Ring                       | 2          |                   |
| 87 | R104-3797       | 104-3797  | Hydraulic Fitting - Striaght | 4          |                   |
| 88 | R340-65         | 340-65  | O-Ring                       | 4          |                   |
| 89 | R3256-26        | 01-166-0540,<br>01-166-0820,<br>17-2530,<br>24-13-BD,<br>30-8570,<br>3256-26,<br>356206,<br>48-9390 | Washer - 1/2 in              | 4          |                   |